

Government of Andhra Pradesh  
Department of Archaeology & Museums



TENDER (REQUEST FOR PROPOSAL- RFP) FOR  
SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL  
DISTRICT ARCHAEOLOGICAL MUSEUM,  
ANANTAPURAMU (DISPLAY WORKS)



**ESTIMATED COST: Rs. 99,94,473/-**  
(Including all taxes)

Office of the Commissioner,  
Department of Archaeology & Museums,  
Govt. of A.P. Bapu Museum,  
MG Road, Buckinghampeta, Vijayawada,  
Andhra Pradesh 520002.

Email: [tappal-mus@ap.gov.in](mailto:tappal-mus@ap.gov.in)  
Ph. No. 0866-2577986  
<http://aparchmuseums.nic.in/>

## DISCLAIMER

The information contained in this RFP document or subsequently provided to Applicants, whether verbally or in documentary or any other form by or on behalf of the Authority or any of its employees or advisers, is provided to Applicants on the terms and conditions set out in this RFP and such other terms and conditions subject to which such information is provided.

This RFP is not an agreement or an offer by the Authority to the prospective Applicants or any other person. The purpose of this RFP is to provide interested parties with information that may be useful to them in the formulation of their Proposals pursuant to this RFP. This RFP includes statements, which reflect various assumptions and assessments arrived at by the Authority in relation to the Agency. Such assumptions, assessments and statements do not purport to contain all the information that each Applicant may require. This RFP may not be appropriate for all persons, and it is not possible for the Authority, its employees or advisers to consider the objectives, technical expertise and particular needs of each party who reads or uses this RFP. The assumptions, assessments, statements and information contained in this RFP, may not be complete, accurate, adequate or correct. Each Applicant should, therefore, conduct its own investigations and analysis and should check the accuracy, adequacy, correctness, reliability and completeness of the assumptions, assessments and information contained in this RFP and obtain independent advice from appropriate sources.

The information provided in this RFP to the Applicants may be on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Authority accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on the law expressed herein.

The Authority, its employees and advisers make no representation or warranty and shall have no liability to any person including any Applicant under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFP or otherwise, including the accuracy, adequacy, correctness, reliability or completeness of the RFP and any assessment, assumption, statement or information contained therein or deemed to form part of this RFP or arising in any way in this Selection Process.

The Authority also accepts no liability of any nature, whether resulting from negligence or otherwise however caused, arising from reliance of any Applicant upon the statements contained in this RFP. The Authority may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumption contained in this RFP.

The issue of this RFP does not imply that the Authority is bound to select an Applicant or to appoint the Selected Applicant, as the case may be, for the Agency and the Authority reserves the right to reject all or any of the Proposals without assigning any reasons whatsoever and cancel the entire bidding process.

The Applicant shall bear all its costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by the Authority or any other costs incurred in connection with or relating to its Proposal. All such costs and expenses will remain with the Applicant and the Authority shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by an Applicant in preparation for submission of the Proposal, regardless of the conduct or outcome of the Selection Process.

## Schedule of Bidding Process

Department of Archaeology & Museums, invites technical and financial proposals from prospective bidders for “SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, NANTAPURAMU ((DISPLAY WORKS), ANANTAPURAMU DISTRICT” in accordance with the conditions and manner prescribed in the RFP document. Prospective bidders are advised to study the RFP document, available at <http://aparchmuseums.nic.in>, carefully before submitting their proposals in response to the RFP. Submission of proposal in response to this RFP shall be deemed to have been done after careful study and examination of this document.

### Important Dates and Information:

Sl. No	Information	Details
1	Date of Issue of RFP Document	18/10/2022
2	Site Visit (during office hours)	19/10/2022 to 25/10/2022
3	The last date for submission of written / online queries for clarification	01/11/2022, up to 17.00 Hrs
4	Last date of proposal submission	01/11/2022, 15.00 hrs
5	Technical Bid Opening	01/11/2022, 16.00 hrs
6	Financial Bid Opening	To be intimated later

## 1. INTRODUCTION

### 1.1. Department of Archaeology & Museums

The Department is making efforts to protect Archaeology and Architectural significance under the A.P. Ancient & Historical Monuments & Archaeological Sites & Remains Act (A.P. Act VII of 1960) for posterity. Conservation works are undertaken in a phased manner. Previously, the Department was implementing a centrally sponsored Non-Plan scheme i.e, registration of antiquities under the Antiquities & Art Treasures Act of 1972 and assisting in the AMSAR act 2010 to the Archaeological Survey of India.

### 1.2. Objective

121. The District Archaeological Museum, Anantapuramu is located in a Govt. A building named after Sri Padmasree Kalluru Subba Rao, a renowned freedom fighter of the District and thrown open to the public from 28-10-1992 onwards. Department of Archaeology and Museum renovation and development of the Museum establishes an international standard and implements advanced technology display galleries.

122. In a preview of the above, the Department of Archaeology & Museums invites proposals from prospective bidders meeting eligibility criteria and fulfilling other terms & conditions of the bidding process as mentioned in this RFP, for the Development of Display work.

1.3. The bidding process for the selection of a suitable Agency for this project will be carried out following a Single Stage, 2 (Two) packet system i.e. submission of Technical and Financial Bid separately. The Eligibility of the bidders to bid in the RFP stage will depend upon their meeting the entirety of the minimum qualification criteria as laid down in this RFP Document at all times during the bidding process. The technical and financial assessment would be carried out as a part of the current bidding and evaluation process.

1.4. Interested bidders may download the RFP document from the website – ((DISPLAY WORKS)<http://aparchmuseums.nic.in> The bids complete in all respect should be submitted in the manner specified in the RFP document.

## 2. SCOPE OF WORK

- 21 The District Archaeological Museum, Anantapuramu is located in a Govt. A building named after Sri Padmasree Kalluru Subba Rao, a renowned freedom fighter of the District and thrown open to the public from 28-10-1992 onwards.
- 22 The Museum contains 8 glass showcases kept in a big museum hall consisting the antiquities right from pre-historic times to the 20th century.
- 23 The Agency shall complete the work within **3 (three) months** from the date of signing of the agreement, failing which the Department shall have the right to terminate the agreement and encash performance security.
- 24 The Department/ authorized representative shall have the right to inspect the premises at any time with or without prior intimation to the Agency.
- 25 The Agency shall keep all the artefacts in the Museum free from dust, pest and any other damage during the ongoing development works.
- 26 The Agency must employ adult labour only. Employment of child labour will lead to the termination of the agreement. The operator shall engage only such workers, whose antecedents and character have been thoroughly verified and police verification and other formalities. **The police verification certificate shall be produced for each and every worker engaged by the operator.**
- 27 The Agency shall ensure waste management as per Solid Waste Management Rules, 2016 or any other applicable laws/rules from time to time.
- 28 In case of any difficulty in carrying out the term of the agreement or in case of any difficulty in the interpretation of any provision of this agreement the decision of the Department shall be final & binding.

**SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU ((DISPLAY WORKS))**  
**THE ESTIMATED COST OF THE BELOW WORKS IS RS. 99,94,473/- (INCLUDING ALL TAXES)**

<b>Name of Work:- Construction of Padmasri Kalluri Subba Rao Memorial District Archaeological Museum, Ananthapuramu District, Ananthapuram.(Display Works)</b>			
<b>Sl.No</b>	<b>Description</b>	<b>Total Qty</b>	<b>Units</b>
1	<b>Interactive Touch Panels – 3 no’s</b> –(A)1.Buddhism & Jainism, 2.Temples in Andhra Pradesh, 3.Excavations and Epigraphy3.Excavations and Epigraphy Includes:- A. Software and content development for Interactives, Developing architecture, Designing UI, Developing theme, Creating pages, Navigation buttons, Touch Effect, Division of galleries (B) Hardware for interactive panels, 43” inches Professional Full HD LED Display and integrated with infrared 10-point touch’s touch screen. Windows CPU Specification, Small slim type cabinet CPU, Intel i5 processor, 2GB graphics card, 8GB RAM, 256 GB SSD, 8-USB Port, 1-VGA port, 1-LAN port and Wi-Fi-enabled, Original Windows 10 64bit professional OS, Table Structure as per model design and materials using MS CRCA sheet metal Enclosure Box with glossy finish powder coated paint. Fixing and Installation Delivery Commissioning & demo which includes all Charges for Complete of Item Of work.	3	No's
2	Theatre, projectors and Film Development, Chairs, Carpets, Sound System	1	No's
3	<b>A) DEVELOPMENT FOR AUGMENTED REALITY (25 Scannable Boards and 25 Marker based objects)</b> Augmented points will be up to 100 both Telugu and English languages (50 + 50), Mobile Application Type: AR based White Label Application, Platform: Android & iOS (Mobile/Tablets/iPads), Product to Showcase AR Enabled Scannable Objects, Content Type: Combination (Informative) along with Animations. 1. AR BASED APPLICATION, An Augmented Reality based White Label Application, This Application learning is based on AR Technology with the core of Software development Kit. Analysis of Content with Application (Content should be given by the Client), Developing of Algorithm Integration of Augmented Reality Software Development Kit (SDK) 5) UI and UX (User Interface and User Experience), Implementation of UI/UX and AR SDK within codes, Quality Assurance Testing, Beta Version,Live Application,AR (WITH INTERACTION), By scanning the Real Model, User can visualize the 3D Model with Different overlay like Lipsing, Eye Blinking, expressions & Hand Animation by coming live out of the Mobile/ Tablet i.e. AR, User can Visualize those Characters Feature coming live, These interactions in AR will correspond relative animation by the Character.3. SOFTWARE FOR INTERGRATION AND APPLICATION DEVELOPMENT, SDK for integrating the content on the relative Android and iOS Platform to build a white Label AR based Application,4. MAINTENANCE & SUPPORT Project includes the Annual Maintenance of 1 Year free 2nd year onwards, maintenance charges Rs.2,00,000/- will be charged per annum,B) AR Content Making includes: Concept, Story Board,Script in English and Telugu, Illustrations,3D Modelling of a girl for 23 objects, Texturing, rigging,Animation , Graphics, Editing, Background music , Voice over in English and Telugu, Scannable images designing	25	No's
4	Provisio& for Labelling Content Printing, Direction Boards, Gallery content, Cabinet Content, Gallery Layout, Seinorage Boards approxematly Supply and Fixing As per Site Conditions		
5	Supplying and Fixing Smart TV 108 cm (43 inch) Ultra HD (4K) LED Smart Android TV (43CA) Specification with 43GA ,Remote controller ,Battery User manal ,HD screen Table stand and wall mount and With 64 gb Pen SanDisk Dual	3	No's

	Drive Go 64 GB OTG Drive (Blue, Type A to Type C) nBrand:- Samsung/LG/Sony/Vu Complete Finish item of Work.- <b>3No's</b>		
6	<b>Stone/Brick Pedestals:-</b>		
A	<b>Brick Work:-</b> Masonry work in CM (1:8) prop with Flyash Cement solid blocks of size 290 x 225 x 140 mm for manufacturing of flyash solid blocks using flyash of 80 kgs, cement of 15 kgs. Gypsum of 5 kgs. And stone dust including cost and conveyance of all materials, labour charges, seiniorage charges, scaffolding and curing etc., ompress with a ompressive streangth not lessthan 50 kg/sqm for walls for Superstructure Walls.- <b>35No's</b>	28.94	Cum
B	<b>Flooring/Granite Cladding</b> with 16 to 18mm thick high polished granite stone slabs other than black and regular colours (i.e. of shades like paradiso / bala flower / copper silk / laka red / lavender blue) with borders and design as per the pattern approved by the Engineer-in-Charge of length not less than 2.43 mts set over base coat of cement mortar (1:8) , 20mm thick using screened sand over CC bed already laid or RCC roof slab including neat grey cement slurry of honey like consistency spread @ 3.3 Kg per sqm and jointed neatly with white cement paste mixed with pigment of matching shade to full depth including cost and conveyance of all materials like cement , sand , water , granite slabs etc., to work site and all operational, incidental labour & lift charges, half rounding the edges of treads , polishing charges and seigniorage charges and all other taxes on all materials, cost of base coat and overheads & contractors profit complete for finished item of work (S.S.701 & special) - <b>35No's</b>	97.61	Sqm
C	<b>Earthwork Excavation:-</b> Earth work excavation for foundations and depositing on bank for all lifts with an initial lead of 10m including all operational ,incidental, labour charges such as shoring, sheeting ,planking ,strutting etc complete for finished item. Including seigniorage excluding dewatering charges etc. as per SS-20B (APSS 308) - <b>35No's</b>	15.18	Cum
D	<b>PCC :-</b> Plain Cement concrete (1:4:8) using 40mm metal with hand mixing upto Plinth level- <b>35No's</b>	1.62	Cum
E	<b>RR Mansory Cement :-</b> Random Rubble stone masonry, in CM (1:8) prop: (Cement: Sand) using hard granite stones from approved quarry including Cost and Conveyance of all materials like Granite stones, cement, sand, water, etc., to site including all operational, incidental, and labour charges such as cutting stones to required size and shape, mixing of cement mortar, constructing masonry, curing etc., complete for finished item of work for foundation (APSS No. 601 & 615) - <b>35No's</b>	6.48	Cum
F	<b>Brick mansory:-</b> Brick masonry for panel walls in basement walls ,with CM (1:6) prop: (Cement : Screened sand) using wire cut bricks of good texture and colour with fine edges, including cost and conveyance of all materials like cement, screened sand, bricks, water etc., to site, including seigniorage charges, sales & other taxes on all materials and such as labour charges, like mixing cement mortar, scaffolding charges, constructing masonry, lift charges, curing, etc., - <b>35No's</b>	8.1	Cum
G	<b>M20 Grade Concrete :-</b> Supply and placing of the M25 Grade Design Mix Concrete corresponding to IS 456 using WEIGH BATCHER/ MIXER with 20 mm size graded machine crushed hard granite metal ( Coarse aggregate) from approved quarry including cost and conveyance of all materials like cement, fine aggregate (sand) coarse aggregate, water etc., to site and including seigniorage charges, sales and other taxes on all materials including all operational, incidental and labour charges such as weigh batching, machine mixing, laying concrete, curring etc., complete but excluding cost of steel and its fabrication charges for finished item of work (APSS No.402) with minimum cement content as per IS code from standard suppliers approved by the department including pumping, centering, shuttering, laying concrete, vibrating, curing etc., complete but excluding cost of steel and its fabrication charges for finished item of work. Un Supported height up to 3.66 Mts-	1.62	Cum



	35No's		
7	Manufacturing Supplying and Fixing Glass Double Shuttering material Tounded glass 12mm it shape S.S handle 4mm patch ,Locks,Top Patch Flog Span etc as per datas during excluding including the Cost of allconveyance of all material and labour cost of size 2x0.75x2.70 during Furnish Complete Finish of Work.	17.16	Sqm
8	Provision For Supply and fixing of signage boards of size 18"X 6" stcik to walls fixing with studs Including designing, planning, pasting eco-solvent laminated 3M vinyl on 4MM acrylic boards and fixing at various places in the museum. (Direction Board). approxematly Supply and Fixing As per Site Conditions		
9	Supply,Installation,Testing and Commissioning of Electric Traction Passenger Lift of Makes : As per list of recommended brands. with • Rated capacity :- 8 Passenger/544Kg • Floors :- G+1 floor (2Stops/2 Landings) • Travel :- 3 to 4.2 mtrs • Location of Lift Machine:- MRL • Rated speed :- 1.0/1.25mps VS • Doors type :- COPO/TOPO Doors with frame having clear opening of 800 mm wide x 2000 mm high made from SS 304 grade sheet of 1.5mm, thick in hairline finish for car and all landing doors with SS door architraves/frames • Lift car enclosure made from SS 304 grade sheet of 1.5mm, thick with hairline finish with frame made from MS girders, bracing of adequate size with minimum safety factor of 5, with Toe Guard Apron, with necessary false ceiling with adequate LED lights, blower/fan for ventilation & SS chequered plate flooring, handrails, mirror, emergency light etc. COP with SS face plate having metallic push buttons with Braille Code & luminous indicator around button with FPI, scrolling UP/DN LED indicator & with/without attendant key switch, OWD with audio-visual alarm, VAS in Telugu & English with intercom system with telephone instrument in Lift car, LMR & FCC/ground floor Clear Car size of .....mm wide x .....mm deep x .....mm high • LOP with SS face plate having recess/surface push button box for all landings with scrolling UP/DN LED indicator having metallic push buttons with Braille Code & luminous indicator around button with CPI, Lift car arrival & next travel direction audio-visual indication at all landings Lift controller based on microprocessor/ PLC with VVVF Drive having closed loop control system, with IBMS compatible having necessary port, control panel duly wired with proper size & strength copper wire for power & control circuit, with provision for addition of floor/control card & allied accessories control panel having enclosure of 1.5mm CRCA sheet with powder coating with IP54 Protection class • ARD complete with necessary SMF VRLA batteries • Fireman controller having fireman switch at fire Landing, Lift Machine of Gearless PMSM of suitable kW with Traction pulley, OSG, electromagnetic brakes, entire assembly mounted on adequate size girders duly fixed on LMR floor/ shaft walls complete with main/diverter traction sheaves, suspension wire ropes/belts of adequate size & strength	1	No,s
	• LOP with SS face plate having recess/surface push button box for all landings with scrolling UP/DN LED indicator having metallic push buttons with Braille Code & luminous indicator around button with CPI, Lift car arrival & next travel direction audio-visual indication at all landings Lift controller based on microprocessor/ PLC with VVVF Drive having closed loop control system, with IBMS compatible having necessary port, control panel duly wired with proper size & strength copper wire for power & control circuit, with provision for addition of floor/control card & allied accessories control panel having enclosure of 1.5mm CRCA sheet with powder coating with IP54 Protection class • ARD complete with necessary SMF VRLA batteries • Fireman controller having fireman switch at fire Landing, Lift Machine of Gearless PMSM of suitable kW with Traction pulley, OSG, electromagnetic brakes, entire assembly mounted on adequate size girders duly fixed on LMR floor/ shaft walls complete with main/diverter traction sheaves, suspension wire ropes/belts of adequate size & strength		
	• Other mechanical parts such as 'T' section adequate size guide rails for car &		

	counter weight with brackets fasteners, counter weight frame with necessary blocks, buffers with necessary support arrangement, MS pit ladder etc. erected with necessary steel work		
	Minor civil work for alteration if any and erection of door frames and accessories, erection buffers, erection of lift machinery, adequate size core cuts if required & scaffolding for erecting guide rails fixing of girders for mounting lift machine etc. complete as per specification no. LFT. •Lift shaft available having clear size of .....mm wide x .....mm deep. ....mm Pit depth, .....mm Overhead.		
10	Supply Installation Testing And commissioning of DG Set complete with 1500 RPM Diesel Engine of suitable BHP & AC Brush less SPDP Alternator mounted on a common base Frame & coupled through a flexible coupling or close coupled.(Generator)	1	No,s
	<p>Alternator: It shall be self regulated, self excited and conforms to IS: 13364/1992 or latest version with regulation of +5% from No load to full load, IP23, with standard Alternator Protection( Over voltage, over speed &amp; under voltage).</p> <p>Diesel Engine: It shall have residential silencer, up to 10 M exhaust piping , electronic / Mechanical governor, Manual &amp; electric Start, Batteries, Fuel tank &amp; piping, control panel (16 G) with SPN(For 5 KVA)/TPN MCCB of required rating (25/36/50 KA) with PLC based Engine controller supplied by OEM, Ammeter, Voltmeter, Frequency Meter or Multi function meter, Energy Meter &amp; Hour Meter, Engine instruments panel,AVM and Automatic Voltage Regulator. The diesel engine shall be capable of providing 10% over load for 1 Hr for every 11 Hrs of continuous running at full load.The DG set shall be supplied with initial filling of fuel,lube oil, coolant oil as per OEM specifications and shall be tested at site.</p> <p>Accoustic Enclosure: Weatherproof, powder coated Accoustic enclosure for DG set for sound attenuation fabricated from 1.6 mm CRCA sheet steel (structure) with side wall fabricated from 1.6 mm CRCA sheet and filled with foam as per CPCB norms latest amendments &amp; IS 8183</p> <p>.The doors are fabricated from 1.6 mm CRCA sheet packed with accoustic material, floor of MS chequered plate 5.0 mm thick, All doors/ opening are sealed with neoprene/ EPDN gaskets.</p> <p>The DG Set shall be maintained for two years after commissioning by the supplier including regular servicing, cost of consumables etc complete as specified by the OEM along with warranty for two years.</p>		
	The enclosure has built in fuel tank, residential silencer (isolated from main DG chamber) with protection and tripping of DG set against temperature of more than 50 °C. All controls for operation of DG set are from outside the enclosure with DG control panel having processor based genset monitoring and control system MCCB/ACB Ammeter, voltmeter, Pf meter, frequency meter, KWH meter, Ind. Lamps etc. mounted inside enclosure , visible and accessible from outside. The enclosure should be suitable for following capacity DG sets and alternator.Noise level is less than 75 db (A) at a distance of 1 Mtrs as per CPCB-II norms,complete in all respect of following capacity :		
	62.5kVA at 0.8 pf 415V 50Hz 3-Ø		
11	Supply, Transportation, Installation, Testing and Commissioning of ----- KVA TRANSFORMER with all test reports. The Transformer shall be designed and manufactured as per Energy Efficiency Level - 2 at basic Insulation level conforming to ISS 2026 (Part- I to Part - II) with latest ammended,and as per IS 1180 Part-I : 2014 latest ammended, OCTC with initial filling of oil as per IS 335-1993. The basic details of the Transformer are as under. <b>(TRANSFORMER)+Deposit 5lacks</b>	1	No,s
	Makes : As per list of recommended brands as category I.		
	1. Quantity : 1		
	2. Rated KVA : .....KVA		

	3. Service & Location: Continuous Outdoor		
	Distribution Transformer		
	4. Mounting : Plinth.		
	5. Wound : Copper Double wound		
	6. Type : Core type oil immersed		
	7. Cooling : ONAN		
	8. Temp Rise : 40°C in oil, 45°C by resistance		
	9. Vector Group: Dyn 11		
	10. Primary Connection : Delta		
	11. Nominal Voltage / Current : _		
	12. Highest system Voltage: 12000V		
	13. Primary Frequency :50 HZ +/- 3%		
	14. Number of Phases : 3		
	15. Primary wires: 3		
	16. Secondary connection : Star		
	17. Secondary Volts / Current : 433V		
	18. Secondary phases : 3		
	19. Secondary wires: 4		
	20. Taps on primary winding for primary voltage variation : +5% to - 10% in steps of 2.5% of 7 position (6 Steps)		
	21. Terminal arrangement.		
	a.HV: HT terminal box as per the sitecondition.		
	b. LV: Cable box suitable to receive -----		
	Sq.mm XLPE cable		
	22. LV:One separate terminal for earthing.		
	23. Total Losses at 50% Loading [Watts] [Max] --- as per IS		
	24. Total Losses at 100% Loading [Watts] [Max]--- as per IS		
	25.Percentage Impedance at 75 deg. C at -----as per IS		
	26. No Load current: Less than 2% of full load current.		
	27. Standard Fittings & Accessories.		
	a. Rating and terminal marking plate: One		
	b. Lifting Lugs: Two		
	c. Off-circuit tap switch :One		
	d. Earthing Terminals :Two		
	e. Radiators ( Attachable):Adequate		
	f. Explosion vent with Diaphragm :One		
	g. Conservator with Drain plug: one		
	h. Oil filling hole with cap :One		
	i. Oil level indicator : One		
	j. Dehydrating Silica gel Breather : One		
	k. Terminal Arrangement: HV With TerminalBox		
	l. Terminal Arrangement : LV Cable Box		
	m. Separate Neutral Bushing : One		
	n. Drain cum filter valve with blanking plate: One		
	o. Air release device : One		
	p. Thermometer Pocket : One		
	q. Four :Unidirectional flat rollers		
	r. One :10Cm dial thermometer (Rigid stemtype)		
	100 KVA Copper Wound Transformer		
12	Supply and Erection of 25x6mm Copper Strip and light Erection Copper Poles fitting bolts and Nuts and insulators providing of Castic Iron 2.5mtr chemical earthing including transportation and labour charges etc.(including all taxes). <b>(Thunder</b>	1	No,s

	<b>Bolt)</b>		
13	Supplying & fixing collapsible steel shutters with vertical, double channel of 20 x10x2 mm of 100 mm centre ,Bracers with flat iron 40x40x6 mm with 38 mm dia steel pulleys, the top, bottom and side vertical frames of the collapsible gate with 65x65mmx8mm MS Angle and middle guide rail at site height with 65mmx8mm MS flat for the pulleys to guide and fixed with locking arrangements, stoppers, handles, all accessories all fixtures and painted with one coat of approved steel primer etc., complete for finished item of work as per special spn 1105	20	Sqm
14	RCMfacia5cmthickinCM(1:3)fordropwalls,finewithrabbitwiremesh&nominalreinforce mentasdirectedbyEngineer-in-chargewithdubaraspongefinishing,includingcost&conveyanceofallmaterialstosite,seignioragecharges,sales&othertaxesonallmaterials,operational&incidental,costandconveyanceofcement,wiremesh,watertoworksite,centering,scaffoldingandformwork,liftchargesetc.,completeforfinisheditemsofworkbutexcludingcostofsteel&itsfabricationcharges,forfinisheditem of work. (APSS No.403 & 903)	90	Sqm
15	Manufacturing photo frame for Existing Ancient paints carefully using material synthetic card board nails extra including all labour cost including all charges.	237	Sft
16	<b>Furniture – Publications:-</b> Steel Almaras with glass:-Size Height 1980mm, width 915mm,Depth 480mm Supply of steel almirah big WITH TOUGHENED GLASS,size manufactured from CRCA sheet of conforming to IS 513-1994 grade D material. The CRCA sheet of uniform thickness and of 22gauge for the body,20 gauge for door duly cut and bend with the help of CNC machine.The almirah shall be equipped with four fixed shelves,manufactured from 22 gauge CRCA sheet there by making five compartments in the almirah .The steel shelf shall be capable of carrying a uniformly distributed load of 70kgms.	7	Each
a	Standard Metal Godrej Enterprise Office table,Size:1120cm 72.8cm.	2	Each
b	Godrej Classic CH-7 Adaptable to variety of application such as guest setting, training area, Godrej office chairs economically alter the ambience of your existing work place.	3	Each
17 (A)	<b>1.Wall mounted:-</b> Supply and Fixing of 16" (400mm) Wall mounted Fan.Makes: Crompton SDX Gold / Bajaj Elite / Havells SwingPremia gold / Usha / Orient Wall 43.Including Fixing charges complete finish items of work including all taxes	45	Each
(B)	<b>2. TRACK LIGHTS:-</b> Supply and Fixing Track Light of 12W LED warm and white colour ,driver inbuilt flexible head to move around heavy duty aluminum boby, compact & adjustable design ,provides uniform radiamsce and uniform and enhances appeal of any environment , savings over the life of the fixture compared to light ,gives off less heat than traditional bulbs ,two wired /three wired ,suitable for a wide range of use environments. including all material and labour charges for completed finished item of work . and Other Electrical items.	60	Each
©	Provision For MV Panel and Earthing,Earthing Strip etc.		
18	<b>Provision For Pest Control :-</b> Providing pest control for internal & external walls, floors and wooden works by specified procedure of the vertical surface and horizontal surface along walls in superstructure to a depth of 300mm including drilling of holes along the wall & rodding and cost & conveyance of all materials to the site, cost of labour for spraying, rodding etc. complete for finished item of work as per the approval of the Engineer-in-Charge.		
19	<b>Provision For</b> Preparation of App, QR bar Code		
20	<b>Provision For</b> Shifting of Sculptures and Chemical Cleaning		
21	<b>Provision For</b> Wifi Internet, Ticket Printing Machine		
22	<b>Provision for</b> Name Board of the museum		
23	<b>Provision For</b> Water Purification Frigde		

## Museum Details

- Museum Building Total Area 26.50 CENTS
- Ground Floor built up area : 327.22sqm
- First Floor built up area : 322.93sqm
- Second Floor built up area : 350.07sqm
- Third Floor built up area : 350.07sqm

TOTAL built up area : 1400.29 sqm

## Open area:

East side:  $103 \times 20 = 2060$  sft

West side:  $103 \times 12 = 1236$  sft

North side:  $13 \times 62 = 806$  sft

South side:  $26 \times 62 = 1612$  sft

## Project timeline:

The total project shall be completed within a period of **3 (three) months** from the date of signing of Contract Agreement.

## Payment schedule:

Sl.No	Stage of the work	Payment
1.	Up to 25% of works should complete	Amount to be paid 25 % of the project cost
2.	25% to 50% of works should complete	Amount to be paid 50 % of the project cost
3.	50% to 75% of works should complete	Amount to be paid 75 % of the project cost
4.	75% to 100% of works should complete	The total amount will be paid

## GENERAL TERMS AND CONDITIONS

### 3.1 Scope of the Proposal

3.1.1 Detailed description of the objectives, scope of services, deliverables and other requirements relating to this assignment are specified in the RFP. The intending Bidders should participate in the selection process in response to this invitation.

3.1.2 The Applicant shall submit their proposal in the form and manner specified in the Schedule of the RFP. The Financial Proposal shall be submitted in the aforesaid format. Upon selection, the Applicant shall be required to enter into an agreement with the Department as per aforesaid format.

### 3.2 Brief Description of the Selection Process

The evaluation of the proposal will be completed in 2 Steps:

- Step 1 – Opening of Technical Proposal
- Step 2 – Opening of Financial Proposal

The entire bidding process has been explained elaborately in Clause 5 of this RFP document. The selection of Operator will be based on the evaluation on the parameter mentioned under the following evaluation criteria.

### 3.3 Minimum Eligibility Criteria

3.3.1 The applicant must be a company registered under the Companies Act 1956/ the Companies Act, 2013 or a Limited Liability Partnership registered under the LLP Act, 2008 or Partnership or Proprietorship.

3.3.2 The Applicant meeting the following minimum eligibility criteria, should submit the proposal:

S.No	Eligibility Criteria	Description
1	Technical	<p>(a) The applicant should be in existence for at least 5 years before the proposal due date.</p> <p>(b) The applicant should have at least 3 years of experience related in development/ construction works related to museum/forts/archaeological monument.</p> <p>(c) The applicant should have GST Registration from Andhra Pradesh.</p> <p>(d) The applicant should have Office in Andhra Pradesh.</p> <p>(e) The Applicant should have capability in the Museum display work Museum field to ensure, should have in house capability.</p>
2	Financial capability	Average Annual Turnover of the Applicant shall be in <b>INR 50.00 LAKHS</b> or more during the last three Financial Years i.e. 2019-20, 2020-21 & 2021-22.
4	GST Registration	Should have valid GST registration.
5	Locality	The Applicant should have office in Andhra Pradesh to ensure better service and maintenance support to the project

3.3.3. The selection criteria of the “SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) AT ANANTAPURAMU MUSEUM IN ANANTAPURAMU DISTRICT”, is based on marks as the below segments.

Sl. No.	Subject	Marks
1	<p>Presentation of the way of display and its techniques in the Museum with using advanced digital interactive display technologies. The presentation should take on the following criteria:</p> <p>I. Display in the Museum should maintain with international standard with the reflection of local cultural heritage – 10 marks</p> <p>II. Display on theme wise based and chronological based – 10 marks</p>	

	<p>III. The display should be very attractive and impressive manner – 10 marks</p> <p>IV. Display of wall cabinets, ground cabinets, pedestals and coins cabinets should be up to mark – 10 marks</p> <p>V. Using the lighting system inside of the cabinet and gallery wise should be impressive – 10 marks</p> <p>VI. Gallery wise display should be attractive way – 10 marks</p>	
	<b>Total presentation marks</b>	<b>60</b>
<b>2</b>	<b>Financial and technical capacity of the applicant</b>	<b>20</b>
<b>3</b>	<b>The applicant should have experience related in development/ construction works related to museum/forts/archaeological monument</b>	<b>10</b>
<b>4</b>	<b>The Applicant should have office in Andhra Pradesh to ensure better service and maintenance support to the project, should have in house capability and team work spirit</b>	<b>10</b>
	<b>Grand Total marks</b>	<b>100</b>

3.3.4. The department of Archaeology and Museums should take the selection criteria of the contractor is based on the above technical and financial qualification as mentioned above. The bidder must get the highest score out of hundred marks, he/she may consider qualified to do this work. Allocation of marks to the applicant purely depends on their qualifications as mentioned above and allocated marks on bidding parameter as mentioned above.

### 3.4 Fee & Deposits to be Paid by the Applicant

#### 3.4.1 Earnest Money Deposit (EMD) & Cost of RFP Document

- (a) The proposal shall be accompanied by an EMD for a value of **Rs. 93,120/- (Rupees ninety three thousand one hundred and twenty only)** in the form of Demand Draft/ Bank Guarantee issued by a Scheduled Commercial Bank in favour of “**Commissioner Department of Archaeology & Museums**” payable/ encashable at Vijayawada.
- (b) The proposal shall also be accompanied by non-refundable document Fee for a value of **Rs. 10,000 (Rupees Ten Thousand only)** in the form Demand Draft in favour of “**Commissioner, Department of**



**Archaeology & Museums” payable at Vijayawada.**

- (c) The EMD shall be valid for a minimum period of 180 days from the Proposal Due date. On request from the Department, the Applicants would be required to extend the validity of the Proposal Security on the same terms and conditions.
- (d) Any Proposal submitted without EMD & document fee in the form as specified in the RFP document shall be summarily rejected.
- (e) The EMD of the successful bidder shall be refunded on the submission of the Performance Guarantee
- (f) The EMD of Applicants whose Proposal is rejected on account of being Non- Responsive or Non-Reasonable in accordance with the RFP document, will be returned / refunded within a period of sixty (60) days from the date of intimating the rejection of the Proposal by the Department to the Applicant. The EMD may be forfeited by the Department, in the following cases:
  - (g) If the Applicant withdraws his Bid/ Proposal after Technical Proposal opening and during the proposal validity period.
  - (h) In case of a Successful Applicant, if the Applicant fails within the specified time limit to sign the Agreement.
  - (i) In case of a Successful Applicant, if the Applicant fails within the specified time limit to furnish the required Performance, Security in the form of Bank Guarantee issued in favour of “Commissioner Department of Archaeology & Museums” payable at Vijayawada.
  - (j) Or fails to start the work within stipulated period.

### **3.5 Bid Parameter**

- (i) The Bid parameter shall be selected based on getting high score marks mentioned as above for SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS), Anantapuramu District from the Department for the contract period.

### **3.6 Right to Reject the Proposal**

Notwithstanding anything contained in this RFP Document, Department reserves the right to reject any / all proposals including the eligibility criteria asked by the Department and mentioned required proposal or withdraw

the invitation of the proposal at any stage without citing any reason. Nothing contained herein shall confer any right upon an Applicant or create any obligation / liability upon the Department of any type whatsoever.

### **3.7 Disqualification**

Below companies will be rejected irrespective of their eligibility

- a. Blacklisted companies with state or central government departments
- b. Companies or directors having criminal record
- c. Companies with disputes

### **3.8 Disputes**

3.11.1 All disputes between the Successful Applicant and the Department shall be settled as per the Dispute Resolution procedure. During the bidding process, no dispute of any type would be entertained. Even in such cases where the Departments ask for additional information from any Applicant, the same cannot be adduced as a reason for citing any dispute.

3.11.2 The courts at **Vijayawada** alone shall have the exclusive jurisdiction on any dispute arising out of this RFP document.

### **3.12 Award of Project**

After selection, a Letter of Award (the “LOA”) shall be issued, in duplicate, by the Department to the Selected Applicant and the Selected Applicant shall, within 7 (seven) days of the receipt of the LOA, sign and return the duplicate copy of the LOA in acknowledgement thereof.

In the event the duplicate copy of the LOA duly signed by the selected bidder is not received by the stipulated date, unless it consents to extension of time for submission thereof, the right to signing of the agreement may be forfeited by the Department and the next eligible firm may be considered for the project.

#### **3.13.1. Signing of the Agreement**

The preferred agency required to execute the agreement with the Department within such time period from the date of issue of LOA, as specified by the Department.

### **3.13 Consortium**

The Bidders are allowed to form consortium of maximum two entities for participating in the project.

### **3.14 Proprietary Data**

All documents and other information provided by the Department or submitted by an Applicant to the Department shall remain or become the property of the Department. Applicants have to treat all information as strictly confidential. Department will not return any Proposal or any information related thereto. All information collected, analyzed, processed or in whatever manner provided by the applicant to the Department in relation to the Service shall be the property of the Department.

### **3.15 Monitoring Mechanism**

The Department or its authorized representative may inspect/ monitor the Museum at any time with/ without intimation to the Agency.

## **3. SUBMISSION OF APPLICATION**

### **4.1 General**

Applicants may send their queries to Department in writing in [tappal-mus@ap.gov.in](mailto:tappal-mus@ap.gov.in) during the period as mentioned in the Schedule of RFP. All the Applicants will be sent clarification to queries received till the stipulated date. The queries received after the prescribed date will not be entertained by the Department.

### **4.2 Amendment to RFP**

At any time prior to the Proposal Due Date, Department may, for any reason, whether at its own initiative or in response to clarifications requested by an Applicant, modify the RFP through the issuance of Addendum/ corrigendum or may also issue a revised RFP. This will be uploaded to the Department web site (<http://aparchmuseums.nic.in>) which will also have treated to be a part of the RFP document.

### 4.3 Preparation and Submission of Proposal

The Applicants are to submit the EMD, document Fees, Technical & Financial Proposal in three separate sealed covers and all the covers packed in one sealed packet mentioning the name of the project is to be sent to the following address. Completed proposals shall be accepted on or before the specified date and time to the Department at the address given below.

Office of the Commissioner,  
Department of Archaeology &  
Museums, Govt. of A.P.  
Bapu Museum, MG Rd,  
Buckinghampeta, Vijayawada,  
Andhra Pradesh 520002.  
[Email: tappal-mus@ap.gov.in](mailto:tappal-mus@ap.gov.in)  
Ph.No. 0866-2577986

### 4.6 Sealing and Marking of Proposal

4.6.1 The proposals shall be sealed, marked and submitted as explained below:

- (a) **Envelope No.1** containing the EMD and document Fees shall be marked as **“EMD” & “Bid Document Fee”** for **“SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) at Anantapuramu Museum in Anantapuramu District”**. The Envelope 1 shall contain the following:
  - i. The EMD as prescribed 3.4.1(a)
  - ii. Bid document fee in the form of a Demand Draft
  
- (b) **Envelope No. 2** duly marked as **“Technical Proposal”** for **“SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) at Anantapuramu Museum in Anantapuramu District”**. **Anantapuramu Museum in Anantapuramu District”** and shall contain the following:
  - Covering Letter as per format provided in Form-1
  - Details of applicant in Form-2

- List of relevant works carried out in last five years.
  - Copy of GST Registration Certificate
  - Annual Audited reports (Turnover certificate along with balance sheet and profit loss account duly certified from a chartered Accountant of last three consecutive years (i.e. for 2019-20, 2000-21 &2021-22).
  - Proof Net worth Certificate for last three financial years(i.e. for 2019-20, 2000-21 &2021-22 duly certified by Chartered Accountant.
- (c) **Envelope No. 3**, duly marked as **“FINANCIAL PROPOSAL”** (As per Form- 6) for SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) **at Anantapuramu Museum in Anantapuramu District”** and clearly written on top of the Envelope **“Do Not open with Technical Proposal”** and shall contain the following:
- i. Financial Proposal as format Form-6
- (d) Both the Technical and Financial Bid shall be placed within an Outer Envelope on which it shall be clearly written **“RFP for SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) at Anantapuramu Museum in Anantapuramu District”**.
- (e) If the envelope is not sealed and marked, as instructed above, Department assumes no responsibility for the misplacement or premature opening of the Proposal submitted.
- (f) The Bids shall be received at the below address until proposal Due Date. Bidders shall submit their Proposals by registered post/speed post/courier/hand delivery only so as to reach the designated address by the Proposal Due Date. Proposals submitted by fax or e-mail shall not be entertained and shall be rejected.

**Address:**

Office of the Commissioner,  
Department of Archaeology &  
Museums, Govt. of A.P. Bapu  
Museum, MG Rd,  
Buckinghampeta, Vijayawada,  
Andhra Pradesh  
520002.

**4. EVALUATION OF BIDS**

**5.1 Step-1- Technical Evaluation**

5.1.1 The Technical Proposals will first be evaluated to determine responsiveness to the RFP. A Technical Proposal shall be considered responsive only if:

- a) the Technical Proposal and all documents specified in Clause 4.6.1 are received in the prescribed format;
- b) the Proposal is received by the Proposal Due Date, including any extension thereof;
- c) it is signed, sealed and marked in accordance with the provisions of the RFP, including specifically,
- d) it contains all the information and documents (complete in all respects) as requested in the RFP; and
- e) it does not contain any condition or qualification.

5.1.2 Department shall evaluate and determine whether the Bidders who have submitted responsive Technical Proposals satisfy the eligibility criteria.

5.1.3 If any Bidder is found to be disqualified in accordance with the terms of the RFP or the Technical Proposal is found to be non-responsive or the Bidder does not meet the eligibility criteria, then the Proposal submitted by such Bidder will be rejected.

5.1.4 In order to determine whether the Bidder satisfies the eligibility criteria,

Department will examine the documentary evidence of the Bidder's eligibility and qualification submitted by the Bidder and any additional information which Department receives from the Bidder upon request by Department.

- 5.15 Where any information provided by a Bidder is found to be patently false or amounting to a material misrepresentation, Department reserves the right to reject the Proposal.
- 5.16 Upon completion of evaluation of the Technical Proposals, Department will notify the Bidders on the date specified in the Bid Schedule, whether they are qualified and eligible for opening of Financial proposal. The Financial Proposals of those Bidders who do not qualify will not be opened

## 5.2 Step II: Opening of Financial Proposal

5.2.1 The bidding parameter for selection of the Selected Bidder, subject to other Qualification Criteria and eligibility criteria being met, would be the based on getting high score marks mentioned as the para 3.3.3. **for “SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) at Anantapur Museum in Anantapur District”**. Department shall open the Financial Proposals of only the qualified Bidders and evaluate the Financial Proposals for responsiveness. If any Financial Proposal is found-

- a) not to be complete in all respects; or
- b) not duly signed by the authorized signatory of the Bidder; or
- c) not to be in the prescribed format; or
- d) to contain alterations, conditions, deviations or omissions

then such Financial Proposal shall be deemed to be substantially non-responsive.

5.2.2 In the presence of representatives of the technically qualified Bidders that choose to be present at the opening of financial proposal meeting, Department shall follow the procedure set out below for selecting the Selected Bidder:

- a) Department shall first tabulate the bidder parameter shall be selected based on getting high score marks mentioned as the para No.3.3.3 **for SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) at Anantapur Museum in**

**Anantapur District”** and qualified Bidder that has submitted a substantially responsive Financial Proposal.

- b) In the course of tabulation, if Department finds a discrepancy between words and figures quoted for the upfront concession fee, then the amount in words shall prevail.
- c) Once the upfront concession fee by each eligible Bidder in a substantially responsive Financial Proposal have been tabulated, Department shall rank the eligible Bidders based on the getting high score marks mentioned as the para No.3.3.3 for “SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) at Anantapuramu Museum in Anantapuramu District” tabulated by the Department. The eligible Bidder should have the parameter shall be selected based on getting high score marks mentioned as the para No.3.3.3 for SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) at Anantapuramu Museum in Anantapuramu District”.
- d) The Preferred Bidder shall ordinarily be the Selected Bidder.
- e) If 2 (two) or more qualified Bidders are ranked the Preferred Bidder, then Department, in its sole discretion, may take any measures as it deems fit, including inviting fresh Financial Proposals or selecting the Bidder with the higher net worth.

### **5.3 Award of the Project**

5.3.1 After completing the evaluation of the Financial Proposals and identifying the Selected Bidder, Department shall issue the LOA to the Selected Bidder, indicating its intention for signing the Contract Agreement.

5.3.2 The Selected Bidder shall execute the Contract Agreement within 15 (fifteen) days of the issuance of the LOA by the Department.

5.3.3 Upon issuance of such LOA to the Selected Bidder and before execution of Contract Agreement, the Selected Bidder shall be required to,

- (a) sign and stamp the LOA and send it to Department as



acknowledgement of the LOA; (Within 7 days of issuance of LoA)

- (b) submit the performance bank guarantee as mentioned in clause 3.5  
(within 15 days of issuance of LoA)

- 5.3.4 Department shall not entertain any request from the Selected Bidder for negotiations or deviations to the final execution draft of the Contract Agreement provided by Department.
- 5.3.5 If the Selected Bidder seeks to materially negotiate or seeks any material deviations from the final execution draft of the Development Agreement, Department may elect to disqualify the Selected Bidder and revoke the LOA issued to the Selected Bidder. If Department elects to disqualify such Bidder and revoke the LOA, then the procedure set out in Clause 5.2.2 and 5.2.3 shall follow.
- 5.3.6 If the Selected Bidder fails to satisfy the conditions specified in Clause 5.3.3 above or fails to execute the Contract Agreement on or before the date stipulated in the LOA, Department may, unless it consents to an extension, without prejudice to any of its rights under the RFP or law, disqualify the Selected Bidder, revoke the LOA and forfeit the Bid Security. If Department elects to disqualify such Bidder and revoke the LOA, then the procedure set out in Clause 5.2.2 and 5.2.3 shall follow.
- 5.3.7 The cost of execution of Contract Agreement and any other related legal documentation charges and incidental charges will be borne by the Selected Bidder.

## ANNEXURE- I

### Details of Anantapuramu Museum

#### About the Museum

- The District Archaeological Museum, **Anantapuramu district** is located in a building named after SriPadmasree Kalluru Subba Rao, a renowned freedom fighter of the Dist. and thrown open to public from 28-10-1992 onwards.
- There are totally 16 glass showcases kept in a big museum hall consisting the antiquities right from pre-historic times to the 20th century.
- The Antiquities are collected from the excavations and from surface collection of village to village survey and also acquired through Treasure Troves and exchange from State Museum etc.
- Nearly 60 stone sculptures and 774 Antiquities are available dated from 3rd C.A.D. to 18th C.A.D.
- The Museum Shop and its counter are located in the entrance complex.
- Visitor Facilities: Clean, cool drinking water and good toilets are available.
- Timings: The Museum is open from 10.30 AM to 5.00 PM and closed on Fridays and Public Holidays.





### Museum Details

- Museum Building Total Area 26.50 CENTS
- Ground Floor built up area : 327.22sqm
- First Floor built up area : 322.93sqm
- Second Floor built up area : 350.07sqm
- Third Floor built up area : 350.07sqm

TOTAL built up area : 1400.29 sqm

### Open area:

East side:  $103 \times 20 = 2060$  sft

West side:  $103 \times 12 = 1236$  sft

North side:  $13 \times 62 = 806$  sft

South side:  $26 \times 62 = 1612$  sft

## Display Works to be completed in the Museum

Sl. No	Name of the work
1	Interactive Digital Cabinet panels -3No's
2	Theatre, projectors and Film Development, Chairs, Carpets, Sound System
3	Augmented Reality (AR) : 25no's in English and Telugu language's including Stands and Marker boards and its fixation
4	Preparation of App, QR bar Code
5	Labelling Content Printing, Direction Boards, Gallery content, Cabinet Content, Gallery Layout, Seinoorage Boards
6	Wi-Fi Internet, Ticket Printing Machine
7	Three LED Tv's Along with External Storage disks
8	20 No's - Brickwork with granite Cladding Pedestals outside of the Building
9	Shifting of Sculptures and Chemical Cleaning
10	Glass Doors for Entrance Stair Case (All floors)
11	Direction Board
12	Furniture – Publications
13	Lift for Passengers
14	Lift for Passengers (Quotation)
15	Transformer
16	Generator
17	Thunderbolt
18	Pest control
19	Painting frames
20	Drop wall in the stilt floor curve path
21	Name board of the museum
22	Water purification frigd and chairs
23	Wall mounted fans, track ligts and other electrification items

## ANNEXURE- II

### Form-1

#### Covering Letter

(on the letter head of the  
Applicant)

Ref:

Date:

To

Office of the Commissioner,  
Department of Archaeology &  
Museums, Govt. of A.P. Bapu  
Museum, MG Rd, Buckinghampeta,  
Vijayawada,  
Andhra Pradesh 520002.

Ref: "SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI  
SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM,  
ANANTAPURAMU (DISPLAY WORKS) at Anantapuramu Museum in  
Anantapuramu District".

Dear Sir,

Being duly authorized to represent and act on behalf of ..... (herein after referred to as "the Applicant"), and having reviewed and fully understood all of the Bid requirements and information provided and collected, the undersigned hereby submits the Bid on behalf of (Name of Applicant) for "SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) at Anantapuramu Museum in Anantapuramu District", with the details as per the requirements of the RFP.

We confirm that our Bid is valid for a period of 180 days from the date of opening of bids. We also hereby agree and undertake asunder:

Notwithstanding any qualifications or conditions, whether implied or otherwise, contained in our Bid we hereby represent and confirm that our Bid is unqualified and unconditional in all respects and we agree to the terms of the RFP and Scope of Work, a part of the RFP document provided to us.

Yours faithfully,

For and on behalf of (Name of Applicant)

Duly signed by the Authorised Signatory of the Applicant with

seal (Name, Title and Address of the Authorised Signatory)



**Form-2**  
**Applicant - Profile**

Sl.No	Particular	Compliance
1	Name of the Applicant	
2	Status of the Applicant (i.e. a Proprietary Concern/ Private Ltd Co./Public Ltd Co./LLP/ Partnershipfirm):	
3	Complete Registered Office Address with telephone, fax, website and email:	
4	Date of Incorporation (Please attach copy of certificate of incorporation/ registration):	
5	Company/Firm profile (include background of company/firm, organization structure, background of promoters/partners/proprietor, business of company, years in similar line of business, experience and details of current activities)	
6	Particulars of individual(s) who will serve as point of contact/ communication with Department with contact number, FAX and email-id.	
7	Has the applicant been barred by the Central/State Govt. or any entity from participating in any project ?	
8	If yes, does the bar subsist on the date of application?	
9	Has the applicant been penalized due to delay as per contract or for any other reason in relation to execution of a contract in the last three years (Yes/No)	
10	Turnover of the business for the last three years (Please attach copy of last 3 years Audited Accounts): Year 20-21 Year 19-20 Year 18-19	

11	Net Worth of the Firm for last three financial years as on 31.03.2020 (Please attach CA Certificate /Audited Certificate)	
12	GST Registration no.	

For and on behalf of:

Organization Seal

Signature:

Name:

Designation:

(Authorized Representative and Signatory)

**Form- 3**  
**(in Cover Two)**  
**Financial Proposal**

To,  
Office of the Commissioner,  
Department of Archaeology &  
Museums, Govt. of A.P. Bapu  
Museum, MG Rd, Buckinghampeta,  
Vijayawada,  
Andhra Pradesh 520002.

Sub: "SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI  
SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM,  
ANANTAPURAMU (DISPLAY WORKS) AT ANANTAPURAMU MUSEUM IN  
ANANTAPURAMU DISTRICT".

Sir,

[Being duly authorized to represent and act on behalf of \_\_\_\_\_ (*name of the applicant*)], having reviewed and fully understood all the requirements of the Request for Proposal dated [ ] (**RFP**) issued by Department for "THE SELECTION OF AGENCY FOR CONSTRUCTION OF PADMASRI KALLURI SUBBARAO MEMORIAL DISTRICT ARCHAEOLOGICAL MUSEUM, ANANTAPURAMU (DISPLAY WORKS) at Anantapuramu Museum in Anantapuramu District" (the **Project**), we hereby provide our Financial Proposal including all applicable taxes.



### Display Works to be completed in the Museum

Sl. No	Name of the work
1	Interactive Digital Cabinet-3No's
2	Theatre, projectors and Film Development, Chairs, Carpets, Sound System
3	Augmented Reality (AR) : 25no's in English and Telugu language's including Stands and Marker boards and its fixation
4	Preparation of App, QR bar Code
5	Labelling Content Printing, Direction Boards, Gallery content, Cabinet Content, Gallery Layout, Seinoage Boards
6	Wi-Fi Internet, Ticket Printing Machine
7	Three LED Tv's Along with External Storage disks
8	20 No's - Brick work with granite Cladding Pedestals outside of the Building
9	Shifting of Sculptures and Chemical Cleaning
10	Glass Doors for Entrance Stair Case (All floors)
11	Direction Board
12	Furniture – Publications
13	Lift for Passengers
14	Lift for Passengers (Quotation)
15	Transformer
16	Generator
17	Thunder bolt
18	Pest control
19	Painting frames
20	Drop wall at stilt floor curve path
21	Name board of the museum
22	Water purification frigd and chairs
23	Wall mounted fans, track ligts and other electrification items

It is a firm and irrevocable offer, and shall remain valid and open for a period of not less than 180 days from the Proposal Due Date. We acknowledge and agree to submission of an unconditional proposal.

Yours sincerely,

Authorized Signature with official  
seal: Name and Title of Signatory:  
Name of Firm: